



## Key Features

|                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>System Configurations</b> | <ul style="list-style-type: none"> <li>● <b>Applications:</b> <ul style="list-style-type: none"> <li>– Equine, Bovine, Feline, Canine, Swine, Goat</li> <li>– Biopsy needle guidance function</li> </ul> </li> <li>● P09 main unit</li> <li>● 7" TFT color LCD (touch screen)</li> <li>● One transducer connector</li> <li>● One USB port</li> <li>● TV-out port</li> <li>● AC/DC adaptor</li> <li>● 512-frame cine loop</li> <li>● 1000-frame image storage</li> </ul>      | <ul style="list-style-type: none"> <li>● Pseudo color imaging</li> <li>● Measurement &amp; calculation software packages</li> <li>● Grid calculation function</li> <li>● Rechargeable lithium-ion battery 2400 mAh</li> <li>● Stylus pen</li> <li>● Water proof field working bag</li> <li>● Transport case</li> <li>● 35C50H convex array transducer (2.0/3.5/4.5/5.5 MHz)</li> </ul> |
| <b>Options</b>               | <ul style="list-style-type: none"> <li>● 75E50H rectal linear array transducer (6.0/7.5/8.5/10.0 MHz)</li> <li>● 75L50H linear array transducer (6.0/7.5/8.5/10 MHz)</li> <li>● 65C15S micro-convex array transducer (5.0/6.0/7.5/8.0 MHz)</li> <li>● 65EC10S endocavity transducer (5.0/6.0/7.5/8.0 MHz)</li> <li>● Extra rechargeable battery (2400 mAh, up to 3 hours working time)</li> <li>● Stainless steel biopsy guide for 35C50H convex array transducer</li> </ul> |                                                                                                                                                                                                                                                                                                                                                                                        |